AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Currently Amended) An *n*-type diamondoid material comprising [[an]] <u>a</u> diamondoid electron-donating heteroatom and a metal atom to enhance electrical conductivity, wherein the diamondoid comprises an electron-donating heteroatom.
- 2. (Original) The *n*-type diamondoid material of claim 1, wherein the electron-donating heteroatom is a group V element.
- 3. (Original) The *n*-type diamondoid material of claim 1, wherein the electron-donating heteroatom is selected from the group consisting of nitrogen, phosphorus, and arsenic.
- 4. (Original) The *n*-type diamondoid material of claim 1, wherein the material comprises an aza-diamondoid.
- 5. (Original) The *n*-type diamondoid material of claim 1, wherein the electron-donating heteroatom occupies a substitutional site on the diamond lattice.
- 6. (Original) The n-type diamondoid material of claim 1, wherein the electron-donating heteroatom is sp^3 -hybridized in the diamond lattice.
- 7. (Original) The *n*-type diamondoid material of claim 1, wherein the diamondoid is selected from the group consisting of adamantane, diamantane, and triamantane.
- 8. (Currently Amended) The An n-type diamondoid material comprising a diamondoid of claim 1, wherein the diamondoid comprises an electron-donating heteroatom

<u>and</u> is selected from the group consisting of tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane.

- 9. (Currently Amended) The *n*-type diamondoid material of claim 1, wherein the material is a polymerized heterodiamondoid molecular crystal.
 - 10. (Canceled)
- 11. (Currently Amended) The polymerized heterodiamondoid <u>n-type diamondoid</u> material of claim [[10]] 1, wherein the metal is gold.
- 12. (Currently Amended) A p-type diamondoid material comprising [[an]] a diamondoid electron-withdrawing heteroatom and a metal atom to enhance electrical conductivity, wherein the diamondoid comprises an electron-withdrawing heteroatom.
- 13. (Original) The p-type diamondoid material of claim 12, wherein the electron-withdrawing heteroatom is a group III element.
- 14. (Original) The p-type diamondoid material of claim 12, wherein the electron-withdrawing heteroatom is selected from the group consisting of boron and aluminum.
- 15. (Previously Presented) The *p*-type diamondoid material of claim 12, wherein the material comprises a boro-diamondoid.
- 16. (Original) The *p*-type diamondoid material of claim 12, wherein the electron withdrawing heteroatom occupies a substitutional site on the diamond lattice.
- 17. (Original) The p-type diamondoid material of claim 12, wherein the electron withdrawing heteroatom is sp³-hybridized in the diamond lattice.

- 18. (Original) The *p*-type diamondoid material of claim 12, wherein the diamondoid is selected from the group consisting of adamantane, diamantane, and triamantane.
- 19. (Currently Amended) The A p-type diamondoid material comprising a diamondoid of claim 12, wherein the diamondoid comprises an electron-withdrawing heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane.
- 20. (Currently Amended) The *p*-type diamondoid material of claim 12, wherein the material is a polymerized heterodiamondoid molecular crystal.
 - 21. (Canceled)
- 22. (Currently Amended) The polymerized heterodiamondoid <u>p-type diamondoid</u> material of claim [[21]] <u>12</u>, wherein the metal is gold.
- 23. (Currently Amended) An electrical *p-n* junction comprising a *p*-type diamondoid material and an *n*-type diamondoid material, wherein the *n*-type diamondoid material comprises a first diamondoid comprising an electron-donating heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane and wherein the *p*-type diamondoid material comprises a second diamondoid comprising an electron-withdrawing heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane.
- 24. (Original) The p-n junction of claim 23, wherein the n-type diamondoid material is aza-heterodiamondoid.
- 25. (Original) The p-n junction of claim 23, wherein the n-type diamondoid material is phospho-heterodiamondoid.

- 26. (Original) The *p-n* junction of claim 23, wherein the *p*-type diamondoid material is boro-heterodiamondoid.
- 27. (Currently Amended) A diamondoid transistor comprising an *n*-type heterodiamondoid diamondoid material and a *p*-type diamondoid material, wherein the *n*-type diamondoid material comprises a first diamondoid comprising an electron-donating heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, octamantane, nonamantane, decamantane, and undecamantane and wherein the *p*-type diamondoid material comprises a second diamondoid comprising an electron-withdrawing heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane.
- 28. (Original) The diamondoid transistor of claim 27, wherein the transistor comprises an n-p-n field effect transistor.
- 29. (Previously Presented) The diamondoid transistor of claim 27, wherein the transistor comprises a *p-n-p* field effect transistor.
- 30. (Original) The diamondoid transistor of claim 27, wherein the *n*-type diamondoid material is aza-heterodiamondoid.
- 31. (Original) The diamondoid transistor of claim 27, wherein the *n*-type diamondoid material is phospho-heterodiamondoid.
- 32. (Original) The diamondoid transistor of claim 27, wherein the *p*-type diamondoid material is boro-heterodiamondoid.
- 33. (Currently Amended) The diamondoid transistor of claim 27 further comprising a source, gate, and drain, wherein the source and drain are fabricated from the *n*-

type heterodiamondoid diamondoid material, and the gate is fabricated from the *p*-type diamondoid material.

- 34. (Currently Amended) The diamondoid transistor of claim 27 further comprising a source, gate, and drain, wherein the source and drain are fabricated from the *p*-type heterodiamondoid diamondoid material, and the gate is fabricated from the *n*-type diamondoid material.
 - 35. (Canceled)
 - 36. (Canceled)
 - 37. (Canceled)
 - 38. (Canceled)
- 39. (Currently Amended) A diamondoid transistor comprising electrically conducting regions and electrically insulating regions, wherein:

the electrically conducting regions of the transistor comprise n and p-type heterodiamondoid diamondoid materials, wherein the n-type diamondoid material comprises a first diamondoid comprising an electron-donating heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane and wherein the p-type diamondoid material comprises a second diamondoid comprising an electron-withdrawing heteroatom and is selected from the group consisting of tetramantane, pentamantane, hexamantane, hexamantane, hexamantane, nonamantane, decamantane, and undecamantane; and

the electrically insulating regions of the transistor comprise undoped diamondoid materials.

40. (Original) The transistor of claim 39, wherein the *n*-type diamondoid material comprises aza-heterodiamondoid.

- 41. (Original) The transistor of claim 39, wherein the *n*-type diamondoid material comprises phospho-heterodiamondoid.
- 42. (Original) The transistor of claim 39, wherein the *p*-type diamondoid material comprises boro-heterodiamondoid.
- 43. (New) A diamondoid material comprising polymerized diamondoids, wherein each diamondoid comprises at least one electron-donating heteroatom or at least one electron-withdrawing heteroatom and further wherein the diamondoids are selected from the group consisting of diamantane, triamantane, tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane.
- 44. (New) A diamondoid material comprising a molecular crystal of diamondoids held together by van der Waals forces, wherein each diamondoid comprises at least one electron-donating heteroatom or at least one electron-withdrawing heteroatom and further wherein the diamondoids are selected from the group consisting of adamantane, diamantane, triamantane, tetramantane, pentamantane, hexamantane, heptamantane, octamantane, nonamantane, decamantane, and undecamantane.